


Cotation : TADANO FAUN ATF 60G-3




* ± 100

** Minimum

1) 385/95 R 25 (14.00 R 25)

2) 445/95 R 25 (16.00 R 25)


3) 525/80 R 25 (20.5 R 25)







ATF 60G-3

Hauteurs et capacités de levage : Flèche principale



ATF 60G-3

Hauteurs et capacités de levage : Flèche principale




13 t

DIN/ISO/EN

m	9.5 m*	9.5 m	13.8 m	18.4 m	22.8 m	27.4 m	31.8 m	36.3 m	40.3 m	44.4 m	48.0 m
2.5	60.0 **	49.0 **	45.1 **	45.1 **	34.3	22.1	15.2				
3.0	50.5 **	43.3	43.3	42.0	34.3	22.1	15.2				
3.5	43.2	38.7	38.7	38.0	34.3	22.1	15.2	13.6			
4.0	38.1	34.8	34.8	34.1	32.2	22.1	15.2	13.6			
4.5	35.2	31.6	31.6	30.9	30.2	22.1	15.2	13.6	9.4		
5.0	32.7	28.8	29.1	28.1	28.0	22.1	15.2	13.6	9.4		
6.0	28.0	24.3	24.6	23.7	23.9	21.0	15.2	13.6	9.4	7.7	6.3
7.0	20.4	20.4	21.2	20.7	20.4	19.2	15.2	13.6	9.4	7.7	6.3
8.0			18.5	18.0	17.7	17.7	14.5	13.4	9.4	7.7	6.3
9.0			16.5	16.1	15.5	15.9	13.5	12.5	9.4	7.7	6.3
10.0			14.6	14.4	13.8	14.0	12.6	11.7	9.4	7.7	6.3
11.0			13.0	12.8	12.7	12.4	11.8	10.9	9.4	7.7	6.3
12.0				11.5	11.4	11.0	11.1	10.3	8.9	7.7	6.3
14.0				9.0	9.4	9.1	8.9	8.5	8.0	7.0	6.3
16.0				7.8	7.7	7.4	7.3	6.7	7.3	6.4	5.8
18.0					6.3	6.7	6.5	5.8	5.9	5.8	5.3
20.0					5.5	5.7	5.5	5.2	4.9	5.0	4.9
22.0						4.9	4.8	4.7	4.5	4.4	4.3
24.0						4.2	4.2	4.1	4.1	3.7	3.7
26.0							3.6	3.7	3.6	3.1	3.1
28.0							3.2	3.3	3.1	2.7	2.6
30.0								2.9	2.7	2.3	2.2
32.0								2.6	2.4	1.9	1.9
34.0									2.1	1.7	1.6
36.0									1.9	1.4	1.4
38.0										1.2	1.1
40.0										1.0	0.9
42.0										0.6	0.7
44.0											0.6


ATF 60G-3

Hauteurs et capacités de levage : Flèche principale + Fléchette



ATF 60G-3

Hauteurs et capacités de levage : Flèche principale + Fléchette



13 t

DIN/ISO/EN

 m	9.5 m + 1.0 m + 6.4 m			22.8 m + 1.0 m + 6.4 m			36.3 m + 1.0 m + 6.4 m			44.4 m + 1.0 m + 6.4 m			48.0 m + 1.0 m + 6.4 m		
	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°	0°	20°	40°
2.5	11.0			11.0											
3.0	11.0	11.0		11.0											
3.5	11.0	11.0		11.0											
4.0	11.0	10.5		11.0	11.0		7.8								
4.5	11.0	10.0		11.0	10.8		7.8								
5.0	11.0	9.6	7.8	11.0	10.5		7.8								
6.0	11.0	8.9	7.4	11.0	10.0	7.7	7.8								
7.0	10.5	8.3	7.1	11.0	9.5	7.4	7.8	7.8		4.1					
8.0	9.6	7.8	6.7	11.0	9.1	7.2	7.8	7.8		4.1			3.4		
9.0	8.8	7.3	6.5	11.0	8.7	7.0	7.8	7.8	6.8	4.1	4.1		3.4		
10.0	8.2	7.0	6.3	11.0	8.4	6.9	7.8	7.8	6.6	4.1	4.1		3.4	3.4	
11.0	7.6	6.7	6.1	11.0	8.1	6.7	7.8	7.8	6.5	4.1	4.1	4.1	3.4	3.4	
12.0	7.1	6.4	6.0	10.5	7.8	6.5	7.8	7.6	6.4	4.1	4.1	4.1	3.4	3.4	3.4
14.0	6.2	6.0		8.9	7.3	6.3	7.7	7.2	6.1	4.1	4.1	4.1	3.4	3.4	3.4
16.0				7.7	6.9	6.1	6.9	6.7	5.9	4.1	4.1	4.1	3.4	3.4	3.4
18.0				6.3	6.5	5.9	5.7	6.1	5.8	4.1	4.1	4.1	3.4	3.4	3.4
20.0				5.7	5.6	5.7	4.7	5.0	5.2	4.1	4.1	4.1	3.4	3.4	3.4
22.0				4.9	5.1	5.0	4.1	4.2	4.4	4.1	4.1	4.1	3.4	3.4	3.4
24.0				4.2	4.4		3.8	3.8	3.8	3.5	3.8	3.9	3.4	3.4	3.4
26.0				3.7	3.8		3.3	3.5	3.5	3.0	3.2	3.4	3.1	3.3	3.4
28.0							3.0	3.0	3.1	2.5	2.7	2.9	2.6	2.8	3.0
30.0							2.8	2.8	2.8	2.1	2.3	2.4	2.2	2.4	2.5
32.0							2.6	2.6	2.6	1.8	1.9	2.0	1.9	2.0	2.2
34.0							2.3	2.4	2.4	1.5	1.6	1.7	1.6	1.7	1.8
36.0								2.1		1.2	1.4	1.4	1.3	1.5	1.5
38.0								1.8		1.0	1.1	1.2	1.1	1.2	1.3
40.0										0.8	0.9	0.9	0.9	1.0	1.1
42.0										0.6	0.7		0.7	0.8	0.8
44.0														0.6	0.7